

**DELHI DEVELOPMENT AUTHORITY  
QUTAB GOLF COURSE  
PRESS ENCLAVE ROAD, NEW DELHI – 110017**

**F2 (37)/QGC/DDA/Civil/2009-10/1165**

**Dated: 19/12/2009**

**NOTICE INVITING QUOTATION NO. 126**

The Delhi Development Authority invites sealed quotations from professional agencies having an experience of having executed atleast two similar types of works, mentioned herein below. The quotations should reach in the office of Secretary, Qutab Golf Course, DDA, on or before.....19.12.09..... upto 3.00 P. M. the sealed quotations shall be opened on the same day at 3.30 P.M. The quotationers or their representatives may be present at the time of opening of the sealed quotations.

**Name of Work: - Up-gradation/Renovation of existing facilities i.e. Civil, Electricals, Horticulture and Sports.**

**SH: - Providing & Laying Sewer Line & sanitary Fitting near Tank at QGC.**

S. No.	Description	Qty.
1.	Excavating trenches of required width for pipes, cables etc. including excavation for sockets, depth upto 1.5 m including getting out the excavated materials, returning the soil as required in layers not exceeding 20 cm in depth including consolidating each deposited layers by ramming, watering etc. stacking serviceable material for measurements and disposal of unserviceable material as directed within a lead of 50 m. All kind of soil. a) Pipes, Cables etc. exceeding 80 mm dia but not exceeding 300 mm dia.	60 Metre
2.	Providing & laying in position cement concrete 1:5:10 (1 cement:5 coarse sand:10 graded stone aggregate 40 mm nominal size) all round S. W. Pipes including bed concrete as per standard design. a) 150 mm diameter S. W. Pipe	60 Metre
3.	Providing, Laying and Jointing glazed stoneware pipes grade 'A' with stiff mixture of cement mortar in the proportion of 1:1 (1 cement:1 fine sand) including testing of joints etc. complete. a) 150 mm dia	60 Metre
4.	Constructing of brick masonry manhole in cement mortar 1:4 (1 cement:4 coarse sand) R.C.C. top slab with 1:2:4 mix (1 cement:2 coarse sand :4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1cement :4 coarse sand :8 graded stone aggregate 40 mm nominal size) inside plastering 12 mm thick with cement mortar 1:3 (1 cement :3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement :2 coarse sand :4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design. a) Inside size 90 x 80 cm and 45 cm deep including C.I cover with frame (light duty) 455 x 610 mm internal dimensions total weight of cover and frame to be not less than 38 Kg. (Weight of cover 23 Kg and weight of framed 15 Kg.) with F.P.S bricks with class designation 75	3 Nos.
5.	P/F water closet squatting pan (Indian type w.c. pan) with 100 mm sand cast iron P ors trap, 10 litre low level white PVC flushing cistern with manually controlled device (handle lever) conforming to IS: 7231 with all fittings and fixtures complete including cutting and making good the walls and floors wherever required. a) White vitreous china Orissa pattern w.c. pan of size 580 x 440 mm with integral type footrests.	2 Nos.
6.	P/F wash basin with C.I. brackets, 15 mm CP brass pillar taps (parko make classic line), 32 mm C.P. brass waste of parko make, including painting of fittings and brackets, cutting and making good the walls wherever required. a) White vitreous china cascade wash basin size 550 x 440 mm (parry ware make).	2 Nos.

7.	P/F white vitreous china flat back half stall urinal of size 580 x 380 x 350 mm white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe spreaders with union and clamps (all in C.P. brass) with waste fittings as per IS: 2556, C.I. trap without leg, grating and other couplings in C.P. brass i/c painting of fitting and cutting and making good the wall and floors wherever required. a) Single half stall urinal with 5 litre PVC automatic flushing cistern.	1 No.
8.	Providing and Fixing 1 <sup>st</sup> quality ceramic glazed wall tiles conforming to IS: 1562 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-charge in skirting, risers of steps and dedos over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3 Kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	98.85 Sqm.
9.	Providing and Laying ceramic glazed floor tiles 300 x 300 mm (thickness to be specified by the manufacturer) or 1 <sup>st</sup> quality conforming to IS: 15622 of approved make in all colours, shades except white, irony, grey fume Red brown laid on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement and matching pigments etc. complete.	15.38 Sqm.
10.	Providing and fixing C.P. brass angle valve long threads for basin mixer and geyser point of parko make classic line approved by In-charge. a) 15 mm nominal bore	7 Nos.
11.	Providing and fixing C.P. brass bottle trap for wash basin and sink. a) Bottle trap 32 mm single piece moulded with height of 270 mm, effective length of tail pipe 260 mm from the centre of the waste coupling 77 mm breadth with 25 mm minimum water seal of parko make approved by In-charge.	3 Nos.
12.	Providing and fixing C.P. brass bib cock of parko make classic line approved by In-charge. a) 15 mm nominal bore	2 Nos.
13.	Providing and fixing C.P. brass long body bib cock of parko make classic line approved by In-charge. a) 15 mm nominal bore	2 Nos.
14.	Providing and fixing C.P. brass 450 mm long copper pipe with nut & washers of parko make approved by In-charge. a) 15 mm nominal bore	7 Nos.
15.	Providing and fixing heavy CP brass extension nipple for water tank pipe, fittings of approved quality and approved by In-charge. a) 15 mm nominal bore	11 Nos.
16.	Providing and fixing CP brass flange (Cap) in C.P. fittings (Parko make) and approved by In-charge.	11 Nos.
17.	Providing and fixing C.P. brass grating (Camry make) of approved quality as per in-charge. a) 100 mm nominal dia	5 Nos.
18.	Providing and fixing 1 mm thick M.S. sheet door with frame of 40 x 40 x 6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. a) Using M.S. angles 40 x 40 x 6 mm for diagonal braces	1.89 Sqm.
19.	Providing and fixing 600 x 450 mm bevelled edge mirror or superior glass of approved quality complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screw and washer complete.	2 Nos.
20.	Providing and fixing SFRC drain covers medium duty approved by In-charge.	13.50 Sqm.

**Conditions:-**


1. The work should be completed as per the direction of in-charge.
2. The work shall be completed within 15 days from the date of receipt of the order.
3. The contractor will have to make his own arrangement of T & P and cartage etc.
4. Payment will be made after entire satisfaction of Secretary, QGC.
5. Any conditional quotations shall be summarily rejected.
6. Necessary statutory deduction will be made as applicable.
7. The validity of the quotation is 60 days from the date of opening of the sealed quotations.

8. Debarred agency/or individual shall not be permitted to participate in the tendering process.
9. Any individual who has been debarred is not permitted to take part in any negotiations or represent an agency even if he holds a power of attorney on the agencies behalf. Any agency engaging debarred persons is also liable to debarring.
10. The quotationer should be registered with the sales Tax Deptt. (W.C Cell) Govt. of GNCTD and supposed to furnish a copy of Sales Tax Registration (W.C. Cell) & Sales Tax Clearance Certificate and attach the same alongwith quotation otherwise the quotation may not be considered and liable to be rejected.
11. **“Quoted Rates should be inclusive of all taxes/levies including service tax payable under respective statutes. DDA will not entertain any claim, whatsoever, in this respect”.**

(Brig. Virendra Kumar)  
Secretary, QGC

**Copy to:-**

1. Director, (Sports) for information please.
2. Director (System), DDA through email [ddatender@dda.org.in](mailto:ddatender@dda.org.in)
3. Sr. A. O. (Sports), DDA
4. Secretaries of all Sports Complexes – with request to place it on notice board.
5. Secretary/DDA Contractor's Welfare Association, E-18, Vikas Kutir, New Delhi – 02.
6. Secretary/DDA Builders Association, Vikas Kutir, New Delhi – 02.
7. AAO, QGC
8. J. E. (Civil), QGC
9. Asstt. Cashier, QGC
10. Notice Board, QGC

  
Secretary, QGC