



DELHI DEVELOPMENT AUTHORITY PRESS TENDER NOTICE No.20/FO/SZ/10-11

Sealed item rate tenders are invited for the following works on behalf of DDA from the approved and eligible contractors of appropriate class as per eligibility criteria mentioned in Footnote-1 & 2 upto 3:00P.M on the dates indicated against each work, which shall be opened on the same day at 3:30 P.M. at Vikas Sadan, D.D.A. Office, New Delhi.

The enlistment of the contractor should be valid on the last date of sale of tenders.

Tender documents can be obtained on payment of Cost of Tender (non-refundable) and on production of valid enlistment Certificate, Certificate of Tender documents can be obtained on payment of Cost of Tender (non-refundable) and on production of valid enlistment Certificate, Certificate of Tender output works. Contract Cell of Sales Tax Act of Work Contract Rule 1999 from AO/CAU/SZ/DDA, Shahpur Jat and Centralized Tender Office at ...

Vikas Sadan, INA, New Delhi-23. Earnest Money should be deposited in the prescribed manner along with tender.

For eligibility criteria please see Footnote-1.


For eligibility criteria	please	see	Footnote-1	

J. m case and ac.

	For eligibility criteria	please see Footnote-1.	Name of Work.	Estimated Cost	Last dt. of Sale
SI.	N.I.T. No. Name & Address of Name of Work.		Name of Work.	Earnest Money	Date of Opening
No.	1	Division.		Cost of Tender.	Time Allowed.
			D/o Sport Complex at D-4 between D-2 & D-3, Vasant Kunj.	Rs. 10,82,212/-	24.12.2010
1/	20/EE/SWD-1/	Executive Engineer,	SH:-P/F paver blocks in parking lots in front of administration	Rs. 21,644/-	29.12.2010
DE	DDA/2010-11	SWD-1, DDA,		Rs.500/- + D.Vat	02 Months.
	(Re-invited)	Vasant Kunj,	block.	@5%.	
I		New Delhi.	C/o Community Hall i/c internal development at Pkt. D-6 at	Rs. 35,62,621/-	24.12.2010
2	27/EE/SWD-1/	do-		Rs. 71,252/-	29.12.2010
/	DDA/2010-11		Vasant Kunj.	Rs.500/- + D.Vat	09 Months.
				@5%.	
			Land Land Land Land NA L South Zone	Rs. 5.65,140/-	18.12.2010
3 28/	28/EE/SWD-1/		M/o Completed scheme under NA-I, South Zone.	Rs.11, 303/-	22.12.2010
	DDA/2010-11		SH:- Painting, repairing and maint. Of CC-1, CWG-3, inquiry	Rs.500/- + D.Vat	06 Months.
			office at Munirka.	@5%.	
			M/o Completed scheme under NA-II, South Zone.	Rs.8.81,022/-	18.12.2010
4	10/EE/SWD-4/		SH:- Repair & maintenance of Master plan road Sec. C-1 to	Rs.17,620/-	22.12.2010
	DDA/2010-11	SWL)-4, DDA,	SH:- Repair & maintenance of Waster plan road sees	Rs.500/- + D.Vat	05 Months.
	Short tender	Vasant Kunj,	C-9, Vasant Kunj.	@5%.	
	Notice .	New Delhi.		Rs.9.97,684/-	18.12.2010
5	64/EE/SWD-5/	ND-5/ Executive Engineer,	-do- SH:-Repair/Raising of Boudary wall at "B" block Transit Camp	Rs.19,954/-	22.12.2010
	DDA/2010-11	SWD-5, DDA,		Rs.500/- + D.Vat	03 Months.
		Sarita Vihar	Govind Puri.	@5%.	
		New Delhi.	D/o Sardar Sewa Singh Park at Pocket A-10, Kalkaji Extn.	Rs. 30,59,632/-	24.12.2010
6	70/EE/SWD-5/	do-	D/o Sardar Sewa Singh Park at Pocket A-10, Raine).	Rs. 61,193/-	29.12.2010
	DDA/2010-11		SH:- Consituction of boudary wall	Rs.500/- + D.Vat	04 Months.
				@5%.	
		18.	M/o Completed Scheme under N.A/C-II, SZ.	Rs. 10,36,525/-	24.12.2010
7.	21/EE/ED-7/	Exacutive Engineer,	SH:- Repair of wall of park opp. Hyat Hotel in Sec12 at	Rs. 20,731/-	29.12.2010
	DDA/2010-11	ED 7, DDA,		Rs.500/- + D.Vat	02 Months.
		Vallant Kunj.	R. K. Puram.	@5%.	
		No Delhi.		ار .	











Name of Contractor		enateroni, bas entis i eru
Date of Application & Rec	eipt	
	Cost of Tender Rs.500/	
Tender issued at :- Vikas S	Sadan/CAU(SZ)/Division Office.	opi comesus so benishos
Date of opening	: 29.12.2010.	E.E./SWD.I/DDA
control of the first of the state of the sta	Delhi Development Authority	a Wib-o
ne to promise it and a balabar	Item Rate Tender For work	
drawings and instructions in	for the execution of the work for the De morandum within the time specified in s ched and in accordance to all aspec writing, referred to in clause-11 of the ed for by and in all other respect in ac	cts with the Specifications desired
	onero) qui su ca cerrorio a ricac em se sa Ruo /esteo ao di cu suem di secono con 1	
(a) General Description	Memorandum	and making the telephone of the same of th
Description	ed endish uperaturally producted	HI CARLES TO SUBSECTION IN
Name of Work		at D-4, between D-2 & ks in parking lots in ion Block.
(b) Estimated Cost	7. 10.00.040	Name of Winess
(c) Earnest Money	Rs. 10,82,212/-	
(d) Security Deposit	Rs. 21,644/-	· .
Deposit	: As per Clause (To be calculated o	on Tendered Cost)
Comme allowed for the	work from the 10 th day after the date	of written order to
commence - no Hough	ls	
A	licited as a disk	Contd





9

Should this tender be accepted, in whole or in part, I/We hereby agree:

- (i) To abide by and fulfill all Terms and Provisions of the said Conditions annexed here to and all the Terms and provisions contained in the Notice Inviting Tender so far as applicable and/or in default thereof to forfeit and pay to the Delhi Development Authority or their successors the sum of money mentioned in the said conditions.
- (ii) To execute all the works referred to in the tender documents on the Terms & Conditions contained or referred to there in and to carry out such deviations as may be ordered upto documents and those in excess of this limit at the rates to be determined in accordance with the provisions contained in clause 12-A of the tender forms.

A sum of Rs.....has been deposited in Cash/Receipt Treasury Challan/Deposit at Call Receipt of a Scheduled Bank/Fixed Deposit-Receipt of a Scheduled Bank /Demand Draft of a Scheduled Bank/Bank Guarantee as Earnest Money as per provisions laid down in para 4 above in favour of Sr.AO/CAU/South Zone. If, I/We fail to furnish the prescribed Performance Guarantee within the prescribed period, I/we agree that the said DDA or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money absolutely. Further if, I/We fail to commence work as specified, I/We agree that DDA or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Earnest Money & the Performance Guarantee absolutely, otherwise the said Earnest Money shall be retained by him towards Security Deposit to execute all the works referred to in the tender documents upon the terms & conditions contained or referred to there in & to carry out such deviations as may be ordered up to maximum of the % mentioned elsewhere in the tender documents & those in excess of that limit at the rates to be determined in accordance with the provisions contained in clause 12 & 12 A of the tender form. I/We hereby declare that I/We shall treat the tender documents, drawings & other records connected with the work as secret/confidential documents & shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the state.

Dated theday of	200
Signature of Witness	Signature of Contractor
Name of Witness.	Postal Address
Address	(S) SEE MESSEY
	Security traces
Occupation	
The above tender for a sum of	Rs(Rupees
hereby accepted by meAuthority.	
Dated theday of	_2007.





EMEAN: 110,82,212/-SCHEDULE OF QUANTITY Epanony: 1 21644/ Name of work: - D/O sports complex at D-4 between D-28D-3 Vasant Kunj
SH: - Providing and fixing paver blocks in parking lots in front of Admn.blocks. Providing and laying 60mm thick factory made cement concrete interlocking paver block of M-30 grade made by block making machine with strong vibratory compaction and of approved size and design/shape laid in required colour and pattern over and including 50mm thick compacted bed of course sand, filling the joints with fine sand etc all complete as per the direction of Engg-in-charge. sq.mtr. 2388.00 89.m 2. Providing a nd laying at or near ground level factory made kerb stone of M-25 grade cement in position to the required line, level and curvature jointed with cement mortar 1;3(lcement; 3coarse sand) including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm) including making drainage opening wherever required complete etc as per direction of Engg-in-charge(length of finished kerb edging shall be measured for payment. Precast C.C.kerb stone shall be approved by Engg-in-charge.) cum 54.00 Earth work in excavation by mechanical means(Hydraulic excavator)/manual means in foundation trenches or drains(not exceeding 1.5m in width or 10sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5m including getting out the excavated soil and disposal of surplus excavated soil as directed within a lead of 50m All kinds of soil Cu.m Cu. 797 11.00 euin

Confd---2--





[3 -]	2.	-2-	3. 4.	5.	6.
4.	Providing and laying in postion excluding the cost centering an a) 1:5:10 (1 cement: 5 C.sand: Size).	cement concrete of specified gr d shuttering. All work upto plin 10 graded stone agg. 40mm non	ade th level	Cum	
				ļu ,	
				Tota	C. B.
	JE(T)/SWD-1/DDA	D mam smo.1	AE(P)/SWD-I/DDA		EE/SWD-UDDA





DELHI DEVELOPMENT AUTHORITY

PRESS TENDER NOTICE

Press Notice/NIT No. 27/EE/SWD.1/DDA/10-11/

Sealed percentage/item rate/Lumsum (Delete whichever is not applicable) tenders are invited for the following work by the Executive Engineer SWD.I (give full address) upto 3-00 P.M. on 29.12.10 behalf of D.D.A. from the approved contractors of appropriate class of D.D.A, C.P.W.D, MES & P&T which shall be opened on the same day at 3.30 p.m. at Ground Floor, Vikas Minar, DDA office, I.P. Estate, New Delhi/ Vikas Sadan (Press Building) near INA Market, New Delhi in the presence of intending purchaser or their authorised representative.

The tender documents can be obtained on any working day from the CAU/ SZ/ DDA /Sale Counter
Press Building Vikas Sadan/Vikas Minar between 11.00 am to 03.00 pm on payment of tender
(non refundable) as well as amount of earnest money mentioned against each work on production of valid enlishment
certificate Sale of tender forms will be stopped four days (including the date of opening) before the date fixed for the
opening of tender documents.

The manner of submission of tenders, opening of the same and entry of contractor's/their authorised representative of the place of opening shall be as provided in clause 3 (a), (b) and (c) of PWD-6 forming part of tender.

The tender shall be accompanied by earnest money in cash/receipt treasury challan / deposit at call receipt of schedule Bank/Fixed Deposit Receipt of a scheduled bank / demand draft of a scheduled bank in favour of.....

S.No. Name of work Estt. Earnest Cost of Time allowed Cost. Money Tender

1. C/o Community Hall i/c internal development at pkt. D 6 at Vasant Kunj.

Rs. 35,62,621/- Rs. 71,252/- Rs. 500/-+ Nine Months. Vat@5%

NOT TO BE PUBLISHED BELOW THIS LINE.

EXECUTIVE ENGINEER
__S.W.DIVN.__I
D.D.A.





DELHI DEVELOPMENT AUTHROITY NOTICE INVITING TENDERS

PWD-6

DIVISION: S.W.D.I

Sub-Division

Sealed item rate tenders in the prescribed form are hereby invited on behalf of the Delhi Development Authority for the work:-

Name of work:

C/o Community Hall i/c internal development at

Pkt. D-6, Vasant Kunj.

1. Estimated Cost:

- 2. Contract document consisting of the detailed plans complete specification, the schedule of quantities of the various items of work to be done and a set of conditions of Contract can be seen/purchased at CAU(SZ) AGV Complex office/Sale counter Vikas Sadan between 11 00 AM to 3.00 PM every day except on Second Saturday, Sunday and public holidays.
- The site of the work is available which may be seen before tendering
- The Time Allowed for carrying out the work will be 09 Months from the the date of written orders to commence the work or from the first day of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender
- 3. (a) The tenders shall be placed in sealed covers to be issued by sale counter CAU(SZ)AGV Complex/Sale counter, Vikas Sadan super scribed the Name of Work, Estimated Amount Day and Date of opening and Name of Contractor to whom the Tender Documents are sold. These tenders will be submitted by the Contractor at following locations
 - At 1st Floor, Press Building, Vikas Sadan, DDA Office for South Zone.

Separate boxes are available for submission of tenders for each day of opening. The Contractor should ensure that tenders are placed in the proper boxes fixed and provided for a particular day up to seven days in advance (including date of opening) during 10 AM to 5 PM except the date of opening when it will be upto 3.00 PM only.

- Offers can also be sent by the Contractors through Registered post to the Executive Engineer (b) concerned but such offers must reach at least one day before the date of opening of tenders.
- The tenders will be opened by the concerned Executive Engineer on the date fixed at 3.30 (c) pm at Vikas Sadan only. Intending Tenderers or one of their authorized representative (having proper Authority on letter head of the Contractor) will be allowed to enter into the premises where tenders will be opened.
- Tender documents consisting of plans, Specifications, the schedule of quantities of the various classes of work to be done and the set of terms and conditions of Contract to be complied with by the Contractor whose tender may be accepted and other necessary documents can be seen in the office of the CAU(SZ)AGVC/Sale Counter, Vikas Sadan between hours of 11.00 AM to 3.00 PM fromto.....on any working day. Tender documents will be issued during the above mentioned hours on any working day

A					
C					
CS.					l
OW					
D					





from the office of CAU(SZ)AGVC/Sale Counter Vikas Sadan on payment of the following amount:-

i)Rs.500/-+Vat@5% cash as cost of Tender(non refundable)

ii)Earnest Money of Rs. 71,252/7- in cash upto Rs.10,000/- only/Receipt Treasury challan/Deposit at Call Receipt of a Scheduled Bank/Fixed Deposit Receipt of a Scheduled Bank/Demand Draft of a Scheduled Bank issued in favour of Sr. AO(CAU)S. Zone, DDA. When amount of Earnest Money is more than Rs.5 lakh, part of Earnest Money is acceptable in the form of Bank Guarantee also. In such case minimum 50% of Earnest Money (but not less than Rs.5 lakh) shall be deposited in the shape as described above & for balance amount of Earnest Money, Bank Guarantee will also be accepted in favour of Sr.AO(CAU)South Zone, DDA.

It shall be ensured that Demand Draft/Fixed Deposit Receipt is valid for a period of Six months or more after the last date of receipt of tender and the same shall be in favour of Sr. Accounts officer, CAU(SZ)/DDA. No interest shall be paid on Earnest Money as deposited with DDA.

- The Contractor should quote in figures as well as in words the rate and amount tendered by them. The amount for each items should be worked out and the requisite totals be given.
- 6. When a Contractor signs a tender in an Indian language, total amount tendered in the PWD form No.7, 8 & 12 should also be written in same language. In the case of illiterate Contractor, the rate/amount tendered should be attested by a witness.
- Each tender must be submitted in sealed cover addressed to Executive Engineer/S.W.D.I.
- 8(a) The Contractor, whose tender is accepted, shall execute an Agreement on Rs.50/- stamp paper reiterating his acceptance of the execution of the work on the rate and conditions set in the Contract document. The issue of tender form will be stopped four days before (i/c date of opening) the date fix for opening of tender.
- The Contractor, whose tender is accepted, shall be required to furnish by way of Performance Guarantee/Security Deposit for due fulfillment of his Contract at the following rate:-
- a) Performance Guarantee of 5% (five percent) of the tendered amount for the proper performance of the Contract Agreement within fifteen days of issue of letter of intent. This period can be further extended by the Engineer-in-Charge upto a maximum period of seven days on written request of the Contractor. This guarantee shall be in the form of Govt. Security or Fixed Deposit Receipt or Guarantee Bond of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto.
- b) Security Deposit @ 5% (five percent) of the tendered value of the work by way of deduction from the running bills of the Contractor @ 10% (ten percent) of gross amount of each running bill till the sum alongwith the sum already deposited as Earnest Money will amount to 5% of the tendered value of the work.

Α					
C.,					
CS	;				
OV	٧				
D.					





10. The acceptance of a tender will rest with the Competent Authority who does not bind himself to accept the lowest tender and reserve to himself the Authority to reject any or all the tenders received without assigning any reason. All tenders in which does not full fill the prescribed condition or incomplete in any respect are liable to be rejected.

- Canvassing in connection with tenders is strictly prohibited and the tender submitted by the Contractor who resort to canvassing shall be liable to rejection.
- 12. All Rates shall be quoted on the proper schedule of the Tender(in figures & words)
- 13. Item rate tender containing percentage below/above will be summarily rejected.
- 13(a) It may please be carefully noted that no condition, whatsoever, shall be accepted by the Department and the Contractor is strictly prohibited for giving conditional tender and if any Contractor is not prepared to execute the work at the terms and conditions contained in the tender document, he is requested not to tender for this work. It may be noted that if any Contractor chooses to submit conditional tender in spite of clear direction given above his tender shall be liable to summarily rejected and his full Earnest Money shall stand forfeited. He will also be liable for being debarred from tendering in DDA for a period of six months.
- 13(b) Monthly payment to the Contractor will be made when gross amount of the work done during the previous months is not less than.

Amount of Contract

Gross value of work since previous bill should exceed

Over Rs. 10 lacs Value

Rs. 25,000/-

Over Rs.2 lacs upto Rs.10 lacs Rs.10,000/-

Over Rs.50,000 upto Rs.2 lacs Rs. 5,000/-

Over Rs.50,000/-

- On acceptance of the tender the name of the authorized representative of the Contractor, who would be responsible for taking instruction from the Engineer- in-Charge, shall be communicated to the Engineer in charge.
- 15. Special care should be taken to write the rates in figures as well as in words and the amount in figures only in such a way that Interpolation is not possible. Total amount should be written both in figures and in words. In case of figures, the word Rs. should be written before the figures of Rupees and P after the decimal figure e.g. Rs.2.15p and in case of words, the word Rupees should precede and the word paise should be written at the end, unless the rate is in whole Rupees and followed by the words only. The rate should invariably be in two decimal places.
- 16. Delhi Development Authority does not bind itself to accept the lowest or any tender and reserves to itself for accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

Α	١.						
C	· .						
C		3					
C							
D							



- Sales Tax/VAT or any other Tax on materials in respect of this Contract shall be payable by the Contractor and DDA will not entertain any claim whatsoever in this respect.
- 18.(a) Contractor must produce certificate of Registration with works Contract Cell of Sales Tax Department of GNCTD. The Tenderer shall submit the Tax Clearance Certificate in Form 11 (under Rule 8 (2) of the Delhi Sales Tax of Works Contract Rule 1999) issued by the said Cell before the tender paper can be sold to him.
- 18(b) Cess under the provision of Building and Other Construction Workers' (RE & CS) Act 1996 and the Building and Other Construction Workers' Welfare Cess Act 1996 @ 1% of the cost of Construction/Project shall be deducted at source from the bill paid to the Contractor.
- 19. A Contractor shall not be permitted to tender for works in the DDA Zone (responsible for award and execution of Contract) in which any of his near relative is posted as Divisional Accountant or as an officer in any capacity between the grades of CE and JE (both inclusive) in the DDA. He shall intimate the name of his near relatives, if any, who are working as group A,B or C officer in DDA. He shall also intimate the name of the persons who are working with him in any capacity or who are subsequently employed by him and who are near relatives of any Groups A,B or C Officer in the DDA. Any breach of this condition by the Contractor would render him liable to action under Clause 3 of the Agreement. In addition, he would also be liable to be debarred from tendering in future.
- The Contractor shall give a list of Non Gazetted DDA employees related to him.
- 21. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in any Engineering Deptt. of the Govt. of India/Delhi Development Authority is allowed to work as Contractor for a period of two years after his retirement from Govt. Service/Delhi Development Authority. The Contract is liable to be cancelled, if either the Contractor or any of his employees are found at any time to be such a person who had not obtained the permission from the Govt. of India/Delhi Development Authority as aforesaid, before the submission of the tender. The Engineering Deptt. of Govt.of India includes the Engineering Deptt. of DDA, CPWD, MES, Railway and P&T.
- 22. The tender for work shall remain open for acceptance for a period of 60(Sixty) days from the date of opening of tenders. If any, tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the deptt., then the DDA shall without prejudice to any other right or remedy, be at liberty to forfeit the entire amount of the Earnest Money absolutely.

A				
C				
CS.				
OW.				
D				





-6-

- 23. The tender for the work shall not be witnessed by a Contractor or Contractors who himself/themselves has/have tendered for the same work. Failure to observe this condition would render the tender of tenderers as well as witnessing the tender liable to summarily rejected.
- Approved and eligible Contractors of CPWD and those of appropriate class of DDA, Railways, P & T, and MES are also eligible to tender (refer press tender notice).
- 25. While quoting the rate in Schedule of Quantities the word only should be written closely following the amount and it should not be written in the next line.
- 26. The tender for the Composite Work included the Building portion, Sanitary, Water Supply, Drainage Works and Electrical Works.
- The Tenderer must associate with agencies of the appropriate class which are eligible to tender for Sanitary, Water Supply installation and Electrical Works.
- 28. The Contractor shall submit the list of works which are in hand (progress) in the Performa given below.

	Name and particulars of Division where the work is being executed.	Amount of work in work Progress	Position of	Remarks	
--	--	---------------------------------------	-------------	---------	--

29. The tenderer shall inspect and study the drawings referred in the Tender documents in the office of the Executive Engineer before and for the purpose of submitting the tender.

Additional Clause

30. Case of withdrawal of offer

(i) If the Contractor withdraw offer within 60 days of quoting the rates,

(ii)If the Contractor withdraw his offer immediately after the Award of Work.

iii)If the Contractor withdraw his offer after award of work.

Action to be taken

The 50% Earnest Money deposited by the Contractor shall be forfeited absolutely.

The Earnest Money deposited by the Contractor shall be forfeited absolutely.

It is deemed that the Contractor has entered into Agreement and action to penalise the Contractor, for not completing the work within the stipulated period under Clause 2&3, will be taken against the Contractor, if he abandons the site after taking over the possession of the site from the Engineer-in-Charge. For taking action under Clause 2 & 3, the only documentary proof required will be the document showing signature of the Contractor or his authorized representative for taking over the possession of site. It is further clarified that action under Clause 2 & 3 of the Agreement attracted even



though the Contractor fails to sign the Agreement on Rs.50/- non-judicial stamp paper but do not start work from the tenth day after date on which the order to commence the work is issued to the Contractor. The date of start of the work will be considered as date of taking over the possession of site. In case of tender for supply of material the documentary proof for start of work will be submission of samples for approval to Engineer-in-Charge i.e. in case the supply order is given to the Contractor and he fails to supply the materials or submit the samples to Engineer-in-Charge then the action to be taken against the Contractor is only the forfeiture of Earnest Money and if he submits the samples for supply and there after abandons the work or fails to supply the materials then action under Clause-2 & 3 is attracted

-7-

0	ignature of Divisional Officer
	Executive Engineer
	Division
	For and on behalf of DDA, New Delhi
	Dated

from the date of opening of quotation. The DDA shall prejudice to any other right or remedy be at liberty to forfeit 50% of the earnest money if any quotationer withdraws his quotation before the said period or makes any modification in the terms and condition of the offer which are not acceptable to the department and to forfeit the whole of earnest money (if quotationer whose quotation is accepted fails to commence the work/ supply specified in the NIT along with changes in the scope if any) in the prescribed time or abandons the work / supply before its completion, said period or makes any modification in the terms and condition of the offer which are not acceptable to the department and to forfeit the whole of the earnest money (if the quotationer whose quotation is accepted fails to commence the work / supply specified in the NIT along with changes in the scope if any) in the prescribed time or abandons the work / supply before its completion.





(14)

Name of Contractor.	et e 1940 e 1949 ad 10 ante noral bos ema Filis unto hono ya saldo en 2000. Tali i salawa e noral sano kon ema Tisoliki
Date of Application 8	Receipt
Tender issued on	as Sadan/CAU(SZ)/Division Office. ng: 29.12.2010. Delhi Development Authority
I/We here by ten specified in underwritten entered in the schedule drawings and instruction such materials as are prefar as applicable.	Item Rate Tender For work der for the execution of the work for the Delhi Development Authority which is memorandum within the time specified in such memorandum at the item rate attached and in accordance to all aspects with the Specifications design, in writing, referred to in clause-11 of the conditions of Contract, and with wided for by and in all other respect in accordance with such conditions so
(a) General Descript Name of Work	Memorandum on : C/o Community Hall i/c internal developmen at Pk.t. D=6, Vasant Kunj.
(b) Estimated Cost (c) Earnest Money (d) Security Deposit (e) Time allowed for the Commence Nine Month	Rs. 35,62,621/- Rs. 71,252/- As per Clause (To be calculated on Tendered Cost) work from the 10 th day after the date of written order to







Should this tender be accepted, in whole or in part, I/We hereby agree:

- (i) To abide by and fulfill all Terms and Provisions of the said Conditions annexed here to and all the Terms and provisions contained in the Notice Inviting Tender so far as applicable and/or in default thereof to forfeit and pay to the Delhi Development Authority or their successors the sum of money mentioned in the said conditions.
- (ii) To execute all the works referred to in the tender documents on the Terms & Conditions contained or referred to there in and to carry out such deviations as may be ordered upto maximum of 20% and here is called the Deviation Limit, at the rates quoted in tender documents and those in excess of this limit at the rates to be determined in accordance with the provisions contained in clause 12-A of the tender forms.

A sum of Rs.....has been deposited in Cash/Receipt Treasury Challan/Deposit at Call Receipt of a Scheduled Bank/Fixed Deposit Receipt of a Scheduled Bank /Demand Draft of a Scheduled Bank/Bank Guarantee as Earnest Money as per provisions laid down in para 4 above in favour of Sr.AO/CAU, South Zone. If, I/We fail to furnish the prescribed Performance Guarantee within the prescribed period, I/we agree that the said DDA or his successors in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said Earnest Money absolutely. Further if, I/We fail to commence work as specified, I/We agree that DDA or his successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said Earnest Money & the Performance Guarantee absolutely, otherwise the said Earnest Money shall be retained by him towards Security Deposit to execute all the works referred to in the tender documents upon the terms & conditions contained or referred to there in & to carry out such deviations as may be ordered up to maximum of the % mentioned elsewhere in the tender documents & those in excess of that limit at the rates to be determined in accordance with the provisions contained in clause 12 & 12 A of the tender form. I/We hereby declare that I/We shall treat the tender documents, drawings & other records connected with the work as secret/confidential documents & shall not communicate information derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the state.

Dated theday of	200
Signature of Witness	Signature of Contractor
Name of Witness.	Postal Address
Address	12 Cemental coage (c. 71,282/-
Occupation	ules et all committees unite (en fall seu entit music en all homalik mail)
hereby accepted by me	only) is
Authority. Dated the day of	
Occupation The above tender for a sum of hereby accepted by me	f Rs(Rupe





96

General Rules and Directions

The liability of exemptions for depositing for the Earnest Money by virtue of exempting the bond stands withdrawn w.e.f. 26.12.89 and all the bond stand cancelled from this date and intending tenderer has to deposit the required Earnest Money with individual tender as mentioned in para 4 of PWD-6 form.

 All works proposed for execution by Contractor will be notified in a form of invitation to tender pasted in public place signed by the Divisional Officer.

This form will state the work to be carried out as well as the date for submitting and opening tenders and the time allowed for carrying out the work, also the amount of Earnest Money to be deposited with the tender and the percentage at which the Security Deposit shall be deducted from the bills of the successful tenderer. Copies of the specification, design and drawings and schedule of quantities and of rates of the various descriptions of work and any other document required in connection with the work assigned for the purpose of identification by the Divisional Officer shall also be open for inspection by the Contractor at the office of Divisional Officer during office hours.

- 2. In the event of tender being submitted by a firm, it must be signed separately by each partner thereof, or in the event of the absence of any partner it must be signed on his behalf by a person holding a power of attorney authorising him to do so. Such power of attorney to be produce with the tender and it must disclose that the firm is duly registered under the Indian Partnership act.
- 3. Receipt for payments made on account of work when executed by a firm must also be signed by the several partner except where the Contractors are described in their tender as a firm, in which case the receipts must be signed in the name of the firm by one of the partners or by some other person having Authority to give effectual receipt for the firm.
- 4. Any person who submits a tender shall fill up the usual printed form, stating at what rate he is willing to undertake each item of the work. Tenders which propose any alteration in the work specified in the said form of invitation to tender or in the time allowed for carrying out the work or which contain any other condition of any sort will be liable to rejection. No single tender shall include more than one work, but Contractors who wish to tender for two or more works shall submit a separate tender for each. Tender shall have the name and number of the work to which they refer written outside the envelope.
- 4(a)The rate(s) and for amount(s) must be quoted in decimal coinage. Amount must be quoted in full ignoring fifty paisa and considering more than fifty paisa as Rupee one.
- 5. The Divisional Officer or his duly authorised representative will open tenders in the presence of intending Contractors who may be present at the time and will enter the amount of the several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the Earnest Money forwarded there with shall there upon be given to the Contractor who shall there upon for the purpose of identification signed copies of the Specifications and other documents mentioned in rule-1, in the event of tender being rejected the Earnest Money forwarded with such unaccepted tender shall there upon be returned to the Contractor remitting the same.
- The officer inviting tenders shall have the right of rejecting all or any of the tender and will not be bound to accept the lowest tender.





- The receipt of an accountant or clerk for money paid by the Contractor will not be considered as acknowledgement of payment to the Divisional Officer and the Contractor shall be responsible for seeing that he procure a receipt signed by Divisional Officer or duly authorised cashier of CAU(SWZ)DDA.
- The memorandum of work tendered for the schedule of materials to be supplied by the DDA and their issue rates shall be filled in and completed in the office of the Divisional Officer before the tender form is issued. If a form issued to an intending tenderer without having been so filled in and completed he shall request the office to have this done before he completes and delivers his tender.
- In the case of Item Rate Tenders, only rates quoted shall be considered. Any tender containing percentage below/above the rates quoted is liable to be rejected. Rates quoted by the Contractor in item rate tender in figures and words shall be accurately filled in so that there is no discrepancy in the rates written in figures and words. However, if a discrepancy is found, the rates which correspond with the amount worked out by the Contractor shall, unless otherwise proved, be taken as correct. If the amount of an item is not worked out by the Contractor or it does not correspond with the rates written either in figures or words, then the rates quoted by the Contractor in words shall be taken as correct. Where the rate quoted by the Contractor in figures or in words tally but the amount is not worked out correctly, the rates quoted by the Contractor will unless otherwise provided be taken as correct and not the amount. In the event of no rate has been quoted for any items(s), leaving space both in figure(s), word(s), and amount blank, it will be presumed that the Contractor has loaded the cost of this/these item(s) in other item(s) and the rate for such item(s) will be considered as Zero and work will be required to be executed accordingly.
- 10. If it is found that the tender is not submitted in proper manner or contains too many corrections or absurd rates or amount it would be open for the DDA to reject the same.
- The tenderer shall sign a declaration under the official secret Act for maintaining secrecy of 11 the tender, shall return all the drawings or other records connected with the work given to them. The unsuccessful tenderer shall return all the drawings given to them.

DECLARATION

I/We hereby declare that I/We shall treat the tender documents drawings and records connected with the work as secret confidential documents and shall not communicate information to any persons other than a person to whom I/We am/are authorised to communicate the same or use the information in any manner prejudicial to the safety of state.

	Signature of	the Contractor	
		Address	•
A			
C			
CS			
OW.			





The content of the
1.0 Earth Work: Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and nearthy dressed. a) All kinds of 5° 1 197 cum cum 1.2 Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated coil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, eic. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil b) Pipes, cables etc. not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum
over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed. a) All kinds of 3: 1 197 cum cum 2 Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited leyer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc. exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earlh work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavator soil and disposal of surplus excavated soil as directed. vithin a lead of 50 m. a) All kinds of 5c.il. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum 1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and nearthy dressed. a) All kinds of 5° 1 197 cum cum 7.2 Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated coil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc. not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavator's soil and disposal of surplus excavated soil as directed. Within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum
Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated coil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc, not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of 5 idl. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. In layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. (64 cum) cum
Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated coil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc. exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum
sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m including getting out the excavated coil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc, not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of 50 m. a) All kinds of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum
out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc, not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of 50 il. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
20 cm in depth including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: a) All kinds of soil i) Pipes, cables etc, not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
a) All kinds of soil i) Pipes, cables etc. not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed. Vithin a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum
i) Pipes, cables etc. not exceeding 80 mm dia. 86 metre metre ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including gatting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
ii) Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia. 86 metre metre 1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum 1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
1.3 Extra for every additional lift of 1.5 m or part thereof in. a) All kinds of soil. 43 cum cum 1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
a) All kinds of soil. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including aetting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
a) All kinds of soil. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including aetting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
1.4 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
a) All kinds of soil. 213 cum cum 1.5 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum 1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
 Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. Supplying and filling in plinth with Jamuna sand under floors including, watering,
etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum 1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
and watering, lead up to 50 m and lift upto 1.5 m. 64 cum cum 1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
1.6 Supplying and filling in plinth with Jamuna sand under floors including, watering,
ramming consolidating and dressing complete. 20 cum cum 1.7 Carriage of material by mechanical transport including loading, unleading and stacking for 10 kilometer lead 8 at lift.
1.7 Carriage of material by mechanical transport including loading, unloading and stacking for 10 kilometer lead & all lift. a) Earth 131 Cum cum
ramming connectidating and describe second-to





6				- or a							
).	Item . I	No.	Des	cription of Items	<i>n</i>)	Qty.	Unit. 4.	Rate. 5.	A. A.	nount. 6.	
-	20.6	oncrete Work									
	2.1	Providing and laying i centering a a) 1:5:10 (1 cement . 5 coar	se sand : 10 graded stor	ic aggregate	inal size)	51 cum	cum			
	2.2 F	including at string or lac	tached pliasters, sing courses, para	apets, coping, bed blocks	valls, walls (any thickness ts, pillars, posts, struts, b s, anchor blocks, plain wir centering, shuttering and f ggregate 20 mm nominal	dow sills, inishing :	4 cum	cum			
	2.3			n bitumen of penetration tre on damp proof course loth lightly soaked in kerd	80/100 of approved qualit after cleaning the surfactorsene oil.	y e with brush	nes 19 sqm	şqm			
	2.4	Providing and laying (1 cement	damp-proof cou	rse 40mm thick with cem : 4 graded stone aggrega	ent concrete 1:2:4 ate 12.5mm nominal size)		19 sqm	sqm			
	2.5	Providing and layin excluding a) 1:3:6 (g cement concrete the cost of center 1 cement: 3 coar	te in kerbs, steps and the ring, shuttering and finis se sand : 6 graded stone	e like at or near ground lev hing. e aggregate 20 mm nomin	/el al size).	1.4 cum	сит			
				Contol							
											(
-1			CAR!		De						(





					The state of the state of	
		A				(20)
	Item . No. Description of Items	71				
P	Description of Items		Qty.	Unit.		
	3 O Reinforce		3.	4.	Rate.	Amount.
1	3.0 Reinforcement Cement Concrete Work					6.
	3.1 Providing and Jovins :					
	design mix cement concrete of specified grade for rainface	and machine vibrated				
	design mix cement concrete of specified grade for reinforced ceme including pumping of concrete to site of laying but excluding the coshuttering, finishing and reinforcement, including Admixtures as parts of the coshuttering.	nt concrete work				
	as per IS 9103 to and reinforcement, including Admixtures in rec	st of centering,				
	strength and durability as per direction of Engineer-in-charge. M-2s concrete by using 410kg. of cement per cum of concrete. All works	grade reinforced ceme	ing			
	concrete by using 410kg. of cement per cum of concrete. All work to Centering and about 10 cement per cum of concrete.	ip to floor V level.	128cum	cum		
	.2 Centering and shuttering including strutting, propping etc. and rem	oval -ff	Locuin	Culli		
	a) Foundations for it	oval of form for :				
	 a) Foundations, footings, bases of columns, etc. for ma 	SS concrete				
				305 sq	m sqm	
	b) Suspended floors, roofs, landings, balconies and according					
	amigo, parconnes and acci	ess platform.		226 sqm	3qm	
	c) Shelves (Cast in situ)				, sqiii	
	(Odst III Situ)			10		
	47.1			12 sqm	sqm	
)	d) Lintels, beams, plinth beams, girders, bressumers and	d cantilover-				
		d cartillevers.		78 sqm	sqm	
	e) Columns, Pillars, Piers, Abutments, Posts and Struts.					
	Struts.			66 sgm		
	f) Stoire () "			o sqiii	sqm	
	f) Stairs, (excluding landings) except spiral-staircases.					
3.:	Add or deduct for plaster drip course/ groove in plastered surface or r			16 sqm	sqm	
	projections.	moulding to R.C.C.				
3.4			11	0 meter	metre	
	Reinforcement for R.C.C. work including straightening, cutting, bendir and binding all complete. a) Thermo Mochania III.	o placing in position			metre	
	Thermo Mechanically Treated bars.	as pidonig in position				
	Trouted bals.		15,36) ka	1.02	
	W. Carlotte and the control of the c		10,00	J Ng.	kilogram	
Λ.	Centar	1				
H-1		Y				
(17)	10	16				
s: Ni	CHE .	22	- 19			
W: 1	440,	ESCOI				
1. 1	110e					





	Te	H				(21)
	Item . N	o. Description of Items	Qty. Unit. 3. 4.	Rate.	Amount.	
	4.0 Br	ick Work			0.	
7	4.1	Brick work with F.P.S. bricks of class designation 75 in foundation and plinth in: a)Cement mortar 1:6 (1 cement : 6 coarse sand)	58 cum cum			
	Å		Cum Cum			
	4.2	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
	4.3	a) Cement mortar 1:6 (1 cement : 6 coarse sand) Half brick masonry with F.P.S. bricks of class designation 75 in superstructure above plinth level up to floor V level.	102cum cum			
		a) Cement mortar 1:4 (1 cement :4 coarse sand)	132 sqm sqm			
	4.4	Brick work 7 cm thick with F.P.S. brick of class designation 75 in cement mortar 1:3 (1 cement : 3 coarse sand) in superstructure.	5 sqm. sqm			
1						
		Centel				
A-1 C17						
cs:	Nil	CAR ITTIN	→			
Di		AED)				





12	Iten	n . No.	Descripti	on of Items	A1				
	5.0	Marble Works	2			Qty. 3.	Unit. 4.	Rate. 5.	Amount. 6.
*	5.1								
		Providing and fixing 18 machine cut for kitchen of required size of appropriate 1:4 (1 cement a matching pigment, epopedge to give high gloss	oved shade, colour a 4 coarse sand) with j ky touch ups, includir inish etc. complete	and texture laid over 20 oints treated with white	mm thick been a	ons			
		a) Granite of any i) Area of slab ov	colour and shade						
						11 sqr	m sqm		
	5.2	Extra for providing ope kitchen platform, vanity including necessary ho etc. complete.	les for pillar taps etc	including rubbing and	nolishing of				
	5.3	Extra for providing edge Including machine polish Design approved by Enga) Granite work.	moulding 18mm thic			10 no.	each		
7						10.00	metre		
				Contd					
					1				
A-1			10		X				
"			(W)		1				