<u>DELHI DEVELOPMENT AUTHORITY</u> <u>HORTICULTURE DIVISION DWARKA</u>

No.: F.10 (33) /12-13/Hort.Dwk/DDA/ 2201	Dated: 20/2/13
To Sh. VI brown Sugh Dabes Huro 140 Mularak Star Bolami Della 110081-	telora
Subject: Mo Voropes ecofue mor Du Mo 45 mbr vide Roccl No Samular Due DNA Conto - 20 CH= Mountaire etc	o Zeer MAT 20 With DCD. Outral Vosqo- 2 Real leight to Xi inte Docet
Reference: 1. Performance guarantee No 75952	dated. 19-2-13 -valid upto 15 millior the
Dear Sir,	5 898 ·
Estimated Cost.: Rs. 174615- Contractors Quoted Rate: Rs. 17465- Accepted Tendered Amt.: Rs. 17465- The percentage to be taken for the purpose of based on DSR-2007 You are requested to attend the office of the Rupees 50/- (Rupees Fifty only) within seven days failing which the acceptance of the tender is likely also requested to contact the A.D. (Hort.)	above / below on rates above / below on rates a undersigned along with non-judicial stamp paper worth from the date of issue of this letter to sign the agreement, to be withdrawn and earnest money be forfeited. You are of this division and start the work at once. Please note entered in this tender will be reckoned from the 10th day work.
	Pours faithfully,
	Dy. Director
Copy to:-	Hort. Divn. Dwarka
1. Director (Hort.) N/W, DDA	
 Jt. Director (Hort.) I to X, DDA Accounts Officer (Dwarka), CAU, DDA 	
Theodenis Officer (Dwarka), CAU, DDA	

Ex. Engineer (Q.C.)-III, DDA

A.O. (Works)-II, DDA

Asstt. Dir. // Hort. Dwarka, DDA

Director (System), DDA for information & n.a. 5. 6. 7.

> Dy. Director Hort. Divn. Dwarka

HORTICULTURE DIVISION DWARKA DELHI DEVELOPMENT AUTHORITY

SOQ OF NIT No. 133/2012-2013/Hort. Dwk.

Name of work:-

M/o various colonies under Dwarka Zone N/A –II M/o 45 Mfr. Wide Road, Road No. 210 with RSP, Central Verge Plantation Dwk Ph-I.

(Sector -20 Red Light to Link Road)

E. Cost: Rs.1076484.00 E. Money:- Rs.21530.00

P. Fees:- Rs.604.00 Time:- 12 Months. Time:-

S.H. :-

Maintenance etc.

Supply and Stacking of Cow dung manure at site including royalty and carriage with all lead and lifts (Cow dung manure at site including royalty and carriage with all lead and lifts (Cow dung manure measured in stacks will be reduced by 8% for payment) Removal of Malba / garbage / building rubbish etc. i/c loading, unloading and 200 / Cum daking an arrangement for supply and applying of water through water tanker at site capacity 5000 Ltrs. Providing & fixing of Precast concrete tree guard Consisting of 4 panels of size 1800x620x25/3mm & manufactured with using M-30 grade oc concrete (compressive strength of concrete should be 300 kg/cm) using sufficient amount of distributed reinforcement (total weight of reinforcement 2.3 kg. per panel) to prevent cracking during handling, transportation and manufactured by vibro compaction process, as per design) detail of reinforcement –2 Nos M.S. bars of 6mm dia in outer longer legs along with 1 Nos. 6 mm dia bar in shorter partition of panel, so as to make total Reinforcement of 2.3 kg per panel by weighth). Providing of Neem Oil cake at site in 50 kg. in old gunny bag and plastic bag. Supplying of Chemical emulsion in sealed container delivery as specified.	e including royalty and carriage red in stacks will be reduced by etc. i/c loading, unloading and g of water through water tanker G of water through water tanker	+
Supply and Stacking of Cow dung manure at site including royalty and carriage with all lead and lifts (Cow dung manure measured in stacks will be reduced by 88 for payment) Removal of Malba / garbage / building rubbish etc. i/c loading, unloading and carriage with all leads and lifts. Making an arrangement for supply and applying of water through water tanker at site capacity 5000 Ltrs. Providing & fixing of Precast concrete tree guard Consisting of 4 panels of size 1800x620x25/35mm & manufactured with using M-30 grade oc concrete (compressive strength of concrete should be 300 kg/cm) using sufficient amount of distributed reinforcement (total weight of reinforcement 2.3 kg. per panel) FRP moulds, soas to achieve shuttering finish and manufactured by vibro compaction process, as per design) detail of reinforcement – 2 Nos M.S. bars of 6mm dia in outer longer longer legs along with 1 Nos. 6 mm dia bar in shorter length and 1 No. 4 mm dia bar in full length and 4 Nos. of 6 mm dia. M.S. Bar and laid horizontally and 3 Nos. of M.S. Bar of 4 mm dia laid vertically in onner partition of panel, so as to make total Reinforcement of 2.3 kg per panel by Providing of Chemical emulsion in sealed container delivery as specified.	et including royalty and carriage red in stacks will be reduced by 85 / etc. i/c loading, unloading and 200 / g of water through water tanker 383 Trip / d Consisting of 4 panels of size ing M-30 grade oc concrete kg/cm) using sufficient amount inforcement 2.3 Kg. per panel) on and manufactured by using n and manufactured by Vibro orcement –2 Nos M.S. bars of 1 Nos. 6 mm dia bar in shorter 4 Nos. 6 mm dia bar in shorter 4 Nos. 6 mm dia bar in shorter ement of 2.3 Kg per panel by 30 / ld gunny bag and plastic bag.	+-,-
Supply and Stacking of Cow dung manure at site including royalty and carriage with all lead and lifts (Cow dung manure measured in stacks will be reduced by 8% for payment) Removal of Malba / garbage / building rubbish etc. i/c loading, unloading and carriage with all leads and lifts. Making an arrangement for supply and applying of water through water tanker at site capacity 5000 Ltrs. Providing & fixing of Precast concrete tree guard Consisting of 4 panels of size 1800x620x25/35mm & manufactured with using M-30 grade oc concrete (compressive strength of concrete should be 300 kg/cm) using sufficient amount of distributed reinforcement (total weight of reinforcement 2.3 kg. per panel) to prevent cracking during handling, transportation and manufactured by vibro compaction process, as per design) detail of reinforcement – 2 Nos M.S. bars of 6mm dia in outer longer longer legs along with 1 Nos. 6 mm dia bar in shorter length and 1 No. 4 mm dia bar in full length and 4 Nos. of 6 mm dia. M.S. Bar and aid horizontally and 3 Nos. of M.S. Bar of 4 mm dia laid vertically in onner partition of panel, so as to make total Reinforcement of 2.3 kg per panel by revight). Supplying of Chemical emulsion in sealed container delivery as specified.	e including royalty and carriage red in stacks will be reduced by etc. i/c loading, unloading and g of water through water tanker d Consisting of 4 panels of size ing M-30 grade oc concrete kg/cm) using sufficient amount inforcement 2.3 Kg. per panel) on and manufactured by using and manufactured by Vibro orcement – 2 Nos M.S. bars of 1 Nos. 6 mm dia bar in shorter 4 Nos. of 6 mm dia bar in shorter mm dia laid vertically in onner ement of 2.3 Kg per panel by ld gunny bag and plastic bag.	
$\begin{bmatrix} \mathbf{N} & \mathbf{N} \\ \mathbf{N} \\ \mathbf{N} \end{bmatrix} = \begin{bmatrix} \mathbf{N} & \mathbf{N} \\ \mathbf{N} \\ \mathbf{N} \end{bmatrix}$. · · · · · · · · · · · · · · · · · · ·	Ξ.

160-26720-	3/5/2 3480/	62400-74880E	LITUTES.
Cum	P. Eagn	Per	
167 ~	12 Bag /	12 / Months	
Earth work in excavation by mechanical mans (Hydraulic excavator) manuals over areas exceeding 30 CM in depth 1.5M Width as well as 10 Sqm on plan) including disposal of excavated earth lead up to50M and lift up to 1.5 M, disposed earth to be leveled and neatly dressed.	Providing of Chemical Fertilizer at site in 50 Kg. bag (DAP) Urea	Complete maintenance of Road side and central verge plantation i/c entire road side and central verge area i/c Trees Shrubs etc. and job like weeding clearing watering pruning of trees, shrub and replacement of casualties of trees and shrub plants and removal of garden rubbish from road side central verge and premises look after of plants and entire Horticulture premises during the night period. Spray of Insecticide pesticides applying of manure etc. if required for a period of 12 months as per direction of officer-in charge (excluding the cost of water and all other materials which shall be supplied by the department separately or shall be paid extra) The all T & P Equipment will be made arrangement by the contractor, labour will be required as per norms. Tree Plants 1332 Shrubs Plants 3915	
	∞.	o;	

<u>Delhi Development Authority</u> <u>Horticulture – Division, Dwarka.</u>

Name of work:-	MO various calmismedro sue Leve NAPL
	MOUS unt wide Roald Norto with RSD,
S.H	Certag wage Steinlain Phi Sout 20 Red highly
· <u>-</u>	to Verib Rhowel SH= moun crea ela

TERMS & CONDITIONS

- 1. The work shall be executed as per specification at site.
- 2. No T&P shall be issued by the department. All the arrangement for T&P items shall be made by the contractor.
- 3. The rate shall be quoted including all taxes and cartage etc.
- 4. The under singed has reserve the right to reject all or lowest tender without assigning any reason.
- 5. It is presumed the mortality casualty of plants shall be zero percent. However in case any casually occurs the same shall be replaced within 7 days by sufficient height of other plants by the contractor free of cost.
- 6. The contractor should maintain attendance and other record of the man power engaged by him required under law and must observe all the formalities under the labour act.
- 7. All labour liabilities will be bear by the contractor during maintenance period D.D.A will not have any responsibility of the deployed labour.
- 8. D.D.A is not responsible for any litigation with labour in the court of law and contractor will settle the matter on his risk and cost.
- 9. D.D.A will not pay any compensation to the labour of any miss-happening has been occurred during the execution of the work.
- 10. If any material is rejected shall be removed from the site with in a week, time, failing which the same shall be removed by the department and it will at the cost of contract and the department will not be responsible for any loss or damage during the process.
- 11. The quantity can be increase or decreased as per actual recruitment at site.
- 12. Non man power shall be engaged below 18 year age.
- 13. The instructions of the department staff are to be carried our properly. In case of any difference of opinion /interpretation of specifications and conditions the matter is to be referred by the contractor to the Engineer in charge for his decision, which shall be final and binding.
- 14. The department shall be at liberty to discontinue /cancel the contract agreement by giving one week notice without assigning reason there of decision of DDH shall be final and binding on the contactor for which no claim on any account shall be entertained by the department.
- 15. It shall be primary responsibility of contractor to maintain the law, plants in good and healthy condition. The whole garden should be maintain as neat, clean and maintain to its optimum level throughout the year.

16. Department shall not be responsible for any injury or permanent or death of any worker at site due to accident or malfunctioning of the equipment or by negligence of staff as well as there shall not be any accommodation for the labour.

17. All the material like good earth, cow dung manure jamuna sand, chemical fertilizer, insecticide & pesticide, seasonal seeds, and plants for new plantation

will be issued by the department as and when required.

18. No payment will be made to the contractor for damage caused by rains or other natural calamities during execution of the work and no such claim on this account will be entertained.

19. The contractor must go acquired with proposed site for the works and study specification and conditions tendering. The work shall be executed as per drawn by the engineer in charge.

20. All incident charge of any kind whatsoever including cartage, storage, cutting and wastage etc. shall be borne exclusively y the contractor and n claim to be

entertained to this effect.

21. The contractor will have no work as per programmed of the Deptt. And no claim whatsoever will be entertained to this effect.

22. The contractor must be available at site of work whenever officer in-charge or

undersigned will visit the site.

23. The contactor shall take all necessary precaution to avoid accident. He shall be responsible for all damages and accidents caused due to negligence on his part during the execution of work. No such claim in his account will be entertained by DDA

24. The field staff are to be engaged as per yardstick. A Nus

25. The supply of required material shall be completed within 15 days from the date of issue of award letter failing which the work awarded shall be cancelled & earnest money along with performance guarantee forfeited and work will be recalled at the risk and cost of contractor. Further if the required Horticulture material is not supplied well in time and Horticulture target failed due to this act of the contractor the necessary recovery will be made from the contractor for the causality of greenery.

BY Director

Dy. Dir (system